



LIVE YOUR OWN POSTURE

FASHIDN



- of the vehicle

Taillight full of LED in Meteor thorough type

Four exhausts on both sides









- Polygonal horizontal stripe chrome intake grille
- 20 inch wheels in sporty style Largest size in the same class



 Overwhelming athletic style A sporty posture








- Carrying on the suspended center console style
- Multi-level three-dimensional modeling





62-inch ultra-wide-angle interstellar viewing skylights





Rear privacy-protection glass



BUAILTY

UUU JETOUR UUUU



XZCIerre






- One of Chinese top ten engines
 1.5T/1.6TGDI 6MT/ 6DCT/ 7DCT (wet)
- Independent and suspended four-wheel+ all-aluminum front control arm




TECHNOLOGY



Lane Departure Warning System

X70PLUS SPECIFICATION

Blind spot monitoring system



Advanced Emergency Braking System

Transmission Length*width*height(mm)
Length*width*height(mm)
Max speed(km/h)
Wheelbase
Front/Rear tread
Seats number
Fuel tank capacity(L)
Luggage compartment capac
■Engine
Engine type
Displacement(ml)
Maximum horsepower (Ps)
Maximum power (kW)/Maxim
Maximum torque (N · m)/Maxi
Engine specific technology
Fuel label
■Chassis Steering
Drive mode
Front suspension type
Rear suspension type
Power type
■Wheel Brake
Front /Rear brake type
Parking brake type
Front /Rear tire specification
■Safety Equipment
Main/copilot driver seat airba
Front side airbags
TPMS(Tire Pressure Monitorin
EMMO
Car Locating
Operation Equipment
ABS(Anti-lock Brake System)
BAS(Brake Assist System)/TC
ESC(Electric stability control)
Actively rollover prevent
limp home mode
Autohold function/HDC-Hill D
Exterior Equipment

	1.5T+6MT	1.5T+6DCT 1.6TGDI+7DCT		Panoramic sunroof			•	•	•	•	
	I II II		П	Inerior Equipmen							
					Leather steering wh	eel		• (leather)	• (leather)	• (leather)	• (leather
	6MT	6DCT	7DCT	7DCT	Steering wheel adju	istment		4 ways	4 ways	4 ways	4 ways
)	4724*1900*1720				Multi-function D steering wheel			•	•	•	•
	180 180 185 185			185	Cruise control			•	•	•	-
	2720	2720	2720	2720	Rear parking radar			•	•	•	•
	1600/1605(R20)	1600/1605(R20)	1600/1605(R20)	1600/1605(R20)	Reversing camera			•	•	•	•
	7	7	7	5/7	Panoramic parking			•	•	•	•
57					10.25" instrument			•	•	•	•
pacity (L)	94	L(7seats)/438L(5s	eats)/1688L(2sea	nts)	■Seats						
					The seat material			Leather	Leather	Leather	Leather
	SQRE4T15C		SQRF4J16		Second row back Angle adjustment (4/6 Split)			•	•	•	•
	1498	1498	1598	1598	Collapsible and ren	novable third row rear s	seat (7 seats)	•	•	•	•
)	156	156	197	197	Rear-end seat reversals (5/5 Split)			•	•	•	•
ximum power speed (RPM)	115/5500	115/5500	145/5500	145/5500	■Multimedia Equipment						
laximum torque speed (RPM)	230/1750-4000	230/1750-4000	290/2000-4000	290/2000-4000	Large color screen in central control unit			10.25 inch	10.25 inch	10.25 inch	10.25 incl
ý	TURBO/Inter cooler TURBO/Direct inject			ect injection	Bluetooth/car phone			•	•	•	•
	92#					Mobile phone interconnection /Mirror-link			•	•	•
					T-BOX			•	•	•	•
		F	F		■Glass/Rearview M	rror					
	Macpherson independent suspension					of the rear view mirror	·	•	•	•	•
	Multiple link independent suspension					Rearview mirror electric heating			•	•	•
	EPS				Manual anti glare of interior rearview mirror			•	•	•	
					■Air condition						
	Disc brake				Air conditioning control mode			•	•	•	•
	EPB			Air purification fund	Air purification function (N95 filter element)			•	•	•	
on	R20				Refrigeration and h	eating of armrest box		•	•	•	•
					■High Tech Configu	iration					
rbag	•/•	•/•	•/•	•/•	LDWS (Lane Depart	ure Warning System)		•	•	•	•
	•	•	•	•	Blind spot monitori	ng system		•	•	•	•
oring System)	•	•	•	•		Dynamic emergency braking		•	•	•	•
	•	•	•	•		arning light flashing		•	•	•	•
	•	•	•	•						-	
					The Contents Of T	nis Catalogue Are Com	piled Accordin	g To The Informa	ation Of Vehicle Con	figuration Status A	t The Time Of
em)/EBD(Electric Brakeforce Distribution	ר) •	•	•	•	Printing. We Reser	ve The Right To Chang	e Any Inforr	nation In The Ca	alog Without Prior	Notice.	
/TCS(Traction Control System)	•	•	•	•							
rol)/Hill-start Assist ControL	•	•	•	•	Constanting of the line of the	the second second second second					
	•	•	•	•						and the second se	
	-	•	•	•							
ill Descent Control	•		•	•	RED	BLACK	BLUE	GREY	PURPLE	WHITE	